

# INDEX

- Abandoned farm land, succession on, 50-51
- Alaskan black flies, biology of, 345-385
- Aspen groves  
associations, 324-337  
floristic comparisons, 337  
in Glacier County, Mont., 321-344  
stability, 338-341
- Behavior  
of coyotes, 9-34  
of lizards, 65-67
- Biomass pyramids, 310
- Black flies, hibernation, 367
- Bromegrasses, annual, ecology of, 181-213
- Bromus tectorum*, ecology of, 181-213  
germination, conditions for, 202-209  
growth and reproduction, 198-209  
phenology, 195-197  
roots, 190-193  
seed dispersal, 201  
seed viability, 202-210
- Bryophytes, corticolous  
ecological factors, 228-229  
of upland forests, 215-231  
of northern Wisconsin, 215-231  
phytosociology, 218-226
- Climax grassland, 43  
effects of grazing, 44-48
- Competition between sibling species of *Drosophila*, 378-409
- Competition  
between predators, 111-113  
interspecies, 397-404  
intraspecies, 391-396
- Consumers, in trophic relationships, 305
- Cooke, Wm. Bridge, article, 119-180
- Coral, plant and animal components, 297  
primary producers, 302-305  
consumers, 305
- Coral reef community, trophic structure and productivity, 291-320
- Coyotes, behavior, 9-34  
feeding patterns, 1-37
- Cryptogams, ecology of  
in Washington and Idaho, 119-180  
in northern Wisconsin, 215-231
- Culbertson, William L., article, 215-231
- Decomposers, in trophic relationships, 309-310
- Ecological relations of jaegers and owls as lemming predators, 85-117
- Eniwetok Atoll, coral reef community, 291-320
- Feeding patterns of coyotes in Nebraska, 1-37
- Fichter, Edson, article, 1-37
- Fire, and aspen groveland, 340
- Fitch, Henry S., article, 59-83
- Food  
coyotes, 1-37  
Great Plains skink, 74-78  
jaegers and owls, 87-104  
spadefoot toad, 242
- Fungi, in vascular plant communities, 119-180
- Grazing, effects of, 44-48
- Groveland, aspen, and controlling factors, 338-342
- Growth  
of lizards, 71-74  
of toad, 255
- Habits of Great Plains skink, 59-83
- Hibernation, of black flies, 367
- Home range  
of spadefoot toad, 244  
of skink, 67
- Hulbert, Lloyd C., article, 181-213
- Jaegers, as lemming predators, 85-117
- Launchbaugh, John L., article, 39-57
- Lemming predators, 85-117
- Lichens, in vascular plant communities  
of Washington and Idaho, 119-180  
of Wisconsin, 215-231
- Lizards, behavior, 65-67
- Lynch, Daniel, article, 321-344
- Metabolism, of coral reef community, 310-318
- Mosses, in vascular plant communities, 119-180
- Odum, Eugene P., article, 291-320
- Odum, Howard T., article, 291-320
- Owls, as lemming predators, 85-117
- Pearson, Paul G., article, 233-267
- Phenology  
*Bromus tectorum*, 195-197
- Phytosociology  
of bryophytes, 218-225  
of fungi, 119-180
- Pitelka, Frank A., article, 85-117
- Plankton, in community metabolism, 312
- Population  
ecology of *Scaphiophus*, 233-267  
predation in relation to, 113  
productivity in *Tribolium*, 269-290  
of skink, 80
- Populus tremuloides*  
ecology of, 321-344  
in Montana, 321-344  
growth rate, 338
- Reef deposition and erosion, 316
- Reproduction  
of skink, 69-71  
of spadefoot toad, 254
- Roots, of *Bromus tectorum*, 190-193
- Sampling, of bryophyte communities, 216-217
- San Antonio prairie, 39-57  
geology and soils, 42  
history, 40  
vegetation, 43-55
- Sather, J. Henry, article, 1-37
- Schildman, George, article, 1-37
- Seasonal development of vegetation, 54-55
- Seed viability, brome grasses, 208-209
- Simulium*, biology of, 345-385
- Skink, habits, 59-83
- Sokoloff, Alexander, article, 387-409
- Sommerman, K. M., article, 345-385
- Standing crop and production, 291-293
- Succession  
after grazing, 50  
in grassland, 48-51  
in the San Antonio Prairie, 50-51  
on abandoned land, 50-51
- Tomich, Quentin, article, 85-117
- Trichel, George W., article, 85-117
- Tribolium confusum*, population productivity, 269-290
- Trophic structure and productivity of a windward coral reef community, 297-318
- Watt, Kenneth E. F., article, 269-290
- Zonation, of an inter-island reef, 293-297